

INTRODUCING
PINNACLE OF COOLING COMFORT
UNRIVALED AIR COOLER RANGE CRAFTED BY COOLING EXPERTS



Range 2024

VOLTAS*FreshAir*[®]
Coolers

VOLTAS FreshAir® Coolers



Presenting the all-new Voltas Fresh Air Coolers with the unique Smart Humidity Controller which optimizes the humidity in your room. 3-sided Honeycomb Padding for the ultimate cooling experience. Cool large spaces easily, with Turbo Air Throw. Whatever be the type of heat outside, you stay comfortable inside.



Eco Cool Mode

Economic mode feature optimally saves water and efficiently consumes power.



Works on Inverter

Consumes less electricity and works on home inverter.



Honeycomb Cooling Pads

More durable than conventional cooling pads. They provide uniform cooling without letting dirt and sediments to get deposited.



Turbo Air Throw

Large fan size delivers powerful air throw to cool large spaces.



Remote Control

Hassle free operation and convenience of use.



Pre-soaking

Pre-cools the Honeycomb pads before starting the fan, releasing cool and fresh air.



Motor with Thermal Overload

Designed to protect the motor from damage in the event of short circuit, overloading or overheating.



7 Hours Timer

Gives you uninterrupted sleep without having to switch the cooler on and off.



Mosquito Repellent

Protects from mosquito borne diseases by resisting mosquito breeding and keeping them away.



WiFi Controller

IOT-enabled Smart Air Cooler enables the controlling from anywhere in the world through a mobile app.



Fully Collapsible Louvers

Prevent dust and insects from entering inside the air cooler.



Touch Panel


Touch-sensitive display functions for quick and easy execution.



ROOM AIR COOLER

WINDSOR

- Honeycomb + Wood Wool Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 42 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak^
- Mosquito Repellent
- Twin Blower



WINDSOR
65/85

WINDSOR
65T/85T
[*, **, ^]

ROOM AIR COOLER

WINDMAX

- Honeycomb + Wood Wool Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 45 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak ^
- Mosquito Repellent
- Twin Blower
- Large 115L Tank Capacity



WINDMAX 115

WINDMAX 115 T
[**, *, ^]



DESERT COOLER

JETMAX

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 44 sq.m
- Works on Inverter
- Touch Panel**
- Smart Humidity Controller#
- Eco Cool Mode*
- Pre Soak^
- Sleep Mode##
- WiFi Connect^^



JETMAX
54,70,90

JETMAX
54T,70T,90T
(*,**,^)

DESERT COOLER

VICTOR

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 43 sq.m
- Works on Inverter
- Ice Chamber*
- Auto Swing (Vertical)
- Trolley for Easy Mobility^



VICTOR 55(*)

VICTOR 47(^)



DESERT COOLER

TEJAS

- Honeycomb Pad for Long Lasting Cooling
- Metal Fan (Higher Air Throw)
- Motor with Thermal Overload Protection
- For Rooms up to 50 sq.m
- Works on Inverter
- Ice Chamber
- Fully Closable Louvers
- Lockable – Heavy Duty Industrial Wheels
- Detachable and Easy to Clean Honeycomb Pad



TEJAS 85/110

DESERT COOLER

VELOCITY

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection.
- Turbo Air Throw
- Works on Inverter
- Ice Chamber
- Smart Humidity Controller
- Dust Filter for Fresh Air
- Large 110L Tank Capacity
- For Rooms upto 46 Sq.m
- Auto Drain
- Fully Closable Louvers



VELOCITY 110



DESERT COOLER

MAGIC AIR

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Rooms upto 48 sq.m
- Works on Inverter
- Ice Chamber
- 3 Side Cooling Pad
- Bigger Tank Capacity
- Powerful Air Throw with Low Noise
- Detachable and Easy to Clean Honeycomb Pad




MAGIC AIR 85/110

DESERT COOLER

MEGA

- Honeycomb or Wood Wool Pad for Long Lasting Cooling
- For Rooms upto 44 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Eco Cool Mode*
- Trolley for easy mobility



MEGA
70/70WW

MEGA
70E
[*]



**DESERT
COOLER**
GRAND

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 40 sq.m
- Works on Inverter
- Eco Cool Mode*



GRAND
52/72/92

GRAND
52E/72E/92E
(*)

**DESERT
COOLER**
EPICOOOL

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Rooms upto 45.5 sq.m
- Works on Inverter
- Touch Panel**
- Eco Cool Mode*
- Pre Soak^
- Fully Closable Louvers



EPICOOOL
70

EPICOOOL
70 T
(**, *, ^)

EPICOOOL
54

EPICOOOL
54 T
(**, *, ^)

EPICOOOL
90

EPICOOOL
90 T
(**, *, ^)



PERSONAL COOLER

ALFA

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 21 sq.m
- Works on Inverter
- Dust Filter for Fresh Air
- Eco Cool Mode*
- Ice Chamber



ALFA 15/28

ALFA 15E/28E
[*]

PERSONAL COOLER

ALFA FRESH

- Dual Uses - As Air Cooler Air Purifier - as per the users requirement
- Advanced Filtration Through - Dust Filter Activated Carbon and Composite HEPA Filter
- For Rooms upto 21 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Honeycomb Pad for Long Lasting Cooling



ALFA FRESH 28



PERSONAL COOLER

WINDSOR

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 22 sq.m
- Works on Inverter
- Dust Filter for Fresh Air
- Touch Panel **
- Pre Soak ^
- Fully Closable Louvers
- Removable tank



WINDSOR 25/35

WINDSOR 25T/35T
[**, ^]

PERSONAL COOLER

FROST AIR

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms upto 26.5 Sq.m
- Works on Inverter
- 12 inch Fan with High Air Throw
- Auto Swing (Vertical)



FROST AIR
45/60



PERSONAL COOLER

JOY

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Room upto 16 sq.m
- Works on Inverter
- Auto Swing (Vertical)
- Ice Chamber
- Fully Closable Louvers



JOY 26/40

WINDOW COOLER

WIND

- Available in both Honeycomb and Wood Wool variants
- For Rooms upto 35 sq.m
- Motor with Thermal Overload Protection
- Works on Inverter
- Trolley for Easy Mobility (Optional)



WIND 54



WIND 52 ECO



COMMERCIAL/ ROOM COOLER

VIRAT

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- For Rooms up to 53 sq.m
- Works on Inverter
- Lockable – Heavy Duty Industrial Wheel
- 18 Inch / 20 Inch* Powerful Metal Fan Blade



VIRAT 85



VIRAT 135*

TOWER COOLER

SLIMM

- Honeycomb Pad for Long Lasting Cooling
- Motor with Thermal Overload Protection
- Sleek & Compact Design
- For Rooms upto 21 sq.m
- Works on Inverter
- Ice Chamber
- Touch Panel**
- Dust Filter for Fresh Air
- Eco Cool Mode*
- Pre Soak^




SLIMM
35/45/55

SLIMM
35T/45T/55T
(*, **, ^)

TECHNICAL SPECIFICATIONS



		Room Air Coolers				
Model		Windsor 65. 85	Windsor 65T.85T	WindMax 115	WindMax 115T	Virat 85
Unit SAP Code		4810335/337	4810336/339	4810377	4810379	4810401
For rooms upto*	sq.m	39/42	39/42	45	45	51
Air Throw Distance @0.5m/s	m	16.7	16.7	16.7	16.7	30
Tank Capacity	Litres	65/85	65/85	115	115	90
Rated Power Input- Cooling	Watt	210	210	210	210	340
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	1050	1050	1050	1050	6000
Fan/Blower Diameter	cm	18.2	18.2	18.2	18.2	46
Product Dimensions (WxHxD)	cm	80.9x113.5x44.05/80.9x121.5x44.05	80.9x113.5x44.05/80.9x121.5x44.05	80.9x131.8x44.05	80.9x131.8x44.05	84.0 x 130.0 x 61.0
Packing Dimensions (WxHxD)	cm	80x116.5x45/80x124.5x45	80x116.5x45/80x124.5x45	80x136x45	80x136x45	88.5 x 63.3 x 14.5
Net Weight	Kg	20.7/21.6	20.7/21.6	24.5	24.5	27.5
Gross Weight	Kg	25/26	25/26	28	28	33.5
Operation		Mechanical	Electronic Touch	Mechanical	Electronic Touch	Mechanical
Cooling Media		Wood Wool + Honeycomb	Wood Wool + Honeycomb	Wood Wool + Honeycomb	Wood Wool + Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	Yes	No
Castor Wheels		Yes	Yes	Yes	Yes	Lockable - Heavy Duty
Trolley		No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	No
Works on Inverter		Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No
Smart Humidity Control		No	No	No	No	No
Touch Control		No	Yes	Yes	Yes	No
Dust Filter		No	No	No	No	No
Eco-Cool mode		No	Yes	Yes	Yes	No
Pre Soak		No	Yes	Yes	Yes	No
Wi-Fi mode		No	No	No	No	No
Sleep Mode		No	No	No	No	No
Fully Collapsible Louvers		No	No	No	No	No
Mosquito Repellent		Yes	Yes	Yes	Yes	No
Air purifier mode		No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No



		Desert Coolers						
Model		JetMax 54	JetMax 54T	JetMax 70	JetMax 70T	JetMax 70 EConnect	JetMax 90	JetMax 90T
Unit SAP Code		4810347	4810351	4810348	4810352	4810202	4810349	4810357
For rooms upto*	sq.m	40-48	40-48	40-48	40-48	40-48	44	40-48
Air Throw Distance @0.5m/s	m	14	14	14	14	14	14	14
Tank Capacity	Litres	54	54	70	70	70	90	90
Rated Power Input- Cooling	Watt	185	185	185	185	185	185	185
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	4000	4000	4000	4000	4000	4000	4000
Fan/Blower Diameter	cm	43	43	43	43	43	43	43
Product Dimensions (WxHxD)	cm	60x107.5x45	60x107.5x45	60x113.5x45	60x113.5x45	60x113.5x45	60x125x45	60x125x45
Packing Dimensions (WxHxD)	cm	68x113x50	68x113x50	68x119x50	68x119x50	68x119x50	68x130x50	68x130x50
Net Weight	Kg	16	16	16.5	16.5	16.5	18	18
Gross Weight	Kg	20	20	20.5	20.5	20.5	23	23
Operation		Mechanical	Electronic Touch	Mechanical	Electronic Touch	Electronic	Mechanical	Electronic Touch
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	Yes	Yes	No	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	Yes	No	No
Touch Control		No	Yes	No	Yes	No	No	Yes
Dust Filter		No	No	No	No	No	No	No
Eco-Cool mode		No	Yes	No	Yes	No	No	Yes
Pre Soak		No	Yes	No	Yes	No	No	Yes
Wi-Fi mode		No	No	No	No	Yes [#]	No	No
Sleep Mode		No	No	No	No	Yes	No	No
Fully Collapsible Louvers		No	No	No	No	No	No	No
Mosquito Repellent		No	No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No	No

TECHNICAL SPECIFICATIONS



Desert Coolers								
Model		Tejas 85	Tejas 110	Velocity 110	Magic Air 85	Magic Air 110	Mega 70, 70WW	Mega 70E
Unit SAP Code		4810439	4810441	4810394	4810417	4810418	4810345/363	4810346
For rooms upto*	sq.m	49	50	46	47	48	44/35.5	44
Air Throw Distance @0.5m/s	m	18.9	18.9	15	18	18	13.7	13.7
Tank Capacity	Litres	85	105	110	85	105	70	70
Rated Power Input- Cooling	Watt	210	210	175	170	170	175	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	4500	4500	5250	4250	4250	4000/3200	4000
Fan/Blower Diameter	cm	45.1	45.1	46	45.1	45.1	46/46	46
Product Dimensions (WxHxD)	cm	77.6 x 129.8 x 50	77.6 x 144.3 x 50	69 x 128 x 47	77.6 x 129.8 x 50	77.6 x 144.3 x 50	65 x 96.5 x 51	65 x 96.5 x 51
Packing Dimensions (WxHxD)	cm	74.5 x 126.5 x 51.0	74.5 x 137.5 x 51.0	74 x 126 x 52	74.5 x 126.5 x 51.0	74.5 x 137.5 x 51.0	70 x 110 x 54.5	70 x 110 x 54.5
Net Weight	Kg	17.4	18.3	18.5	14.5	16.9	18	18
Gross Weight	Kg	22	23.2	22.6	19	22	22	22
Operation		Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Electronic
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb / Wood Wool	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	No	No	No	No	Yes
Castor Wheels		Yes	Yes (industrial wheel)	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	Yes	Yes
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		Yes	Yes	Yes	Yes	Yes	No	No
Smart Humidity Control		No	No	Yes	No	Yes	No	No
Touch Control		No	No	No	No	No	No	No
Dust Filter		No	No	Yes	No	No	No	No
Eco-Cool mode		No	No	No	No	No	No	Yes
Pre Soak		No	No	No	No	No	No	No
Wi-Fi mode		No	No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	No	No
Fully Collapsible Louvers		Yes	Yes	Yes	No	No	No	No
Mosquito Repellent		No	No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No	No



Desert Coolers							
Model		Epicool 54	Epicool 70	Epicool 90	Epicool 54T	Epicool 70T	Epicool 90T
Unit SAP Code		4810371	4810372	4810373	4810374	4810375	4810376
For rooms upto*	sq.m	45.5	45.5	45.5	45.5	45.5	45.5
Air Throw Distance @0.5m/s	m	14	14	14	14	14	14
Tank Capacity	Litres	54	70	90	54	70	70
Rated Power Input- Cooling	Watt	185	185	185	185	185	185
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	4100	4100	4100	4100	4100	4100
Fan/Blower Diameter	cm	43	43	43	43	43	43
Product Dimensions (WxHxD)	cm	60x107.5x45	60x113.5x45	60x120.2x45	60x107.5x45	60x113.5x45	60x113.5x45
Packing Dimensions (WxHxD)	cm	68x113x50	68x119x50	68x125.5x50	68x113x50	68x119x50	68x119x50
Net Weight	Kg	16	17	18	16	17	18
Gross Weight	Kg	20	21.5	23	20	21.5	23
Operation		Mechanical	Mechanical	Mechanical	Electronic Touch	Electronic Touch	Electronic Touch
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Fan	Fan	Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	No	Yes	Yes	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	No	No	No
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	No	No	Yes	Yes	Yes
Dust Filter		No	No	No	No	No	No
Eco-Cool mode		No	No	No	Yes	Yes	Yes
Pre Soak		No	No	No	Yes	Yes	Yes
Wi-Fi mode		No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	No
Fully Collapsible Louvers		Yes	Yes	Yes	Yes	Yes	Yes
Mosquito Repellent		No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No

TECHNICAL SPECIFICATIONS



		Desert Coolers			
Model		Grand 52, 72, 92	Grand 52E, 72E, 92E	Victor 47	Victor 55
Unit SAP Code		4810329/331/333	4810330/332/334	4810340	4810341
For rooms upto*	sq.m	40	40	32	43
Air Throw Distance @0.5m/s	m	10.7	10.7	10.7	13.7
Tank Capacity	Litres	52/72/92	52/72/92	47	55
Rated Power Input- Cooling	Watt	190	190	170	175
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	3600	3600	2900	3850
Fan/Blower Diameter	cm	42	42	36	41
Product Dimensions (WxHxD)	cm	70.5x103.0x47.5/ 70.5x110.0x47.5/ 70.5x118.0x47.5	70.5x103.0x47.5/ 70.5x110.0x47.5/ 70.5x118.0x47.5	570x795x530	61x112x42.5
Packing Dimensions (WxHxD)	cm	73.0x108.5x51.5/ 73.0x118.0x51.5/ 73.0x124.0x51.5	73.0x108.5x51.5/ 73.0x118.0x51.5/ 73.0x124.0x51.5	585x865x560	68.5x119x47.5
Net Weight	Kg	16.5/17/17.5	16.5/17/17.5	13	15.4
Gross Weight	Kg	19.5/20.5/21.5	19.5/20.5/21.5	15	19.1
Operation		Mechanical	Electronic	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Wood Wool	Wood Wool
Fan/Blower		Fan	Fan	Fan	Fan
TOP Feature		Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	No
Castor Wheels		Yes	Yes	Yes	Yes
Trolley		No	No	Yes	No
Water Level Indicator		Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes
Ice Chamber		No	No	No	Yes
Smart Humidity Control		No	No	No	No
Touch Control		No	No	No	No
Dust Filter		No	No	No	No
Eco-Cool mode		No	Yes	No	No
Pre Soak		No	No	No	No
Wi-Fi mode		No	No	No	No
Sleep Mode		No	No	No	No
Fully Collapsible Louvers		No	No	No	No
Mosquito Repellent		No	No	No	No
Air purifier mode		No	No	No	No
Air Purifier Filter **		No	No	No	No
HEPA Filter Grade		No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No
Activated Carbon Filter		No	No	No	No



		Personal Coolers				
Model		Alfa 15/28	Alfa 15E, 28E	Alfa Fresh 28	Windsor 25, 35	Windsor 25T, 35T
Unit SAP Code		4810321/23	4810322/24	4810370	4810380/ 384	4810383/ 385
For rooms upto*	sq.m	15-17/ 19-23	15-17/ 19-23	21	18-22/ 20-24	18-22/ 20-24
Air Throw Distance @0.5m/s	m	9.8	9.8	9.8	11.5	11.5
Tank Capacity	Litres	15/28	15/28	28	25/35	25/35
Rated Power Input- Cooling	Watt	120	120	120	152	152
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	1000	1000	1000	960	960
Fan/Blower Diameter	cm	20	20	20	20	20
Product Dimensions (WxHxD)	cm	46x66x34/ 46x82x34	46x66x34/ 46x82x34	46x82x34	46x68x36/ 46x71x36	46x68x36/ 46x71x36
Packing Dimensions (WxHxD)	cm	48x75x38.5/ 48x88x38.5	48x75x38.5/ 48x88x38.5	48x88x38.5	51.6x73.7x41.3/ 51.6x81.7x41.3	51.6x73.7x41.3/ 51.6x81.7x41.3
Net Weight	Kg	9/9.2	9/9.2	9.2	8.8/9.2	8.8/9.2
Gross Weight	Kg	11/ 11.1	11/ 11.1	11.1	10.5/11	10.5/11
Operation		Mechanical	Electronic	Mechanical	Mechanical	Electronic Touch
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Blower	Blower	Blower	Blower	Blower
TOP Feature		Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	Yes	No	No	Yes
Castor Wheels		Yes	Yes	Yes	Yes	Yes
Trolley		No	No	No	No	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes
Ice Chamber		Yes	Yes	Yes	Yes	Yes
Smart Humidity Control		No	No	No	No	No
Touch Control		No	No	No	No	No
Dust Filter		Yes	Yes	Yes	Yes	Yes
Eco-Cool mode		No	Yes	No	No	No
Pre Soak		No	No	No	No	Yes
Wi-Fi mode		No	No	No	No	No
Sleep Mode		No	No	No	No	No
Fully Collapsible Louvers		No	No	No	Yes	Yes
Mosquito Repellent		No	No	No	No	No
Air purifier mode		No	No	Yes	No	No
Air Purifier Filter **		No	No	Composite HEPA Filter	No	No
HEPA Filter Grade		No	No	H-10	No	No
Air Filter Efficiency (PM 0.3)		No	No	> 85 %	No	No
Activated Carbon Filter		No	No	Yes	No	No

TECHNICAL SPECIFICATIONS



		Personal Coolers				Window Coolers	
Model		Frost Air 45	Frost Air 60	Joy 26	Joy 40	Wind 54 WW, 54 HC	Wind 52 ECO
Unit SAP Code		4810442	4810443	4810426	4810427	4810327/28	4810369
For rooms upto*	sq.m	24.5	26.5	14	16	32-38	24-28
Air Throw Distance @0.5m/s	m	12	12	7	7	15.2	10.6
Tank Capacity	Litres	45	60	26	36	54	52
Rated Power Input- Cooling	Watt	100	100	100	100	300	200
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	2000	2000	1400	1400	1850/2000	2000
Fan/Blower Diameter	cm	30.5	30.5	12	12	23/23	23
Product Dimensions (WxHxD)	cm	39.7/97.8/46.5	39.7/114.3/46.5	43.5x72.0x42.0	43.5x80.0x42.0	65x61x51	64.5x56x54
Packing Dimensions (WxHxD)	cm	43.5/99.0/51.5	43.5/115.0/51.5	50.0x8.0x50.0	50.0x86.0x50.0	70x75x54	71x63.5x59
Net Weight	Kg	8.5	10.5	7.8	8.2	13	12.9
Gross Weight	Kg	10.5	12.5	10.4	11	15	16.26
Operation		Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Cooling Media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Wood Wool / Honeycomb	Wood Wool
Fan/Blower		Fan	Fan	Fan	Fan	Blower	Blower
TOP Feature		Yes	Yes	Yes	Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	No	Yes	No	No
Castor Wheels		Yes	Yes	Yes	Yes	No	No
Trolley		No	No	No	No	Yes	No
Water Level Indicator		Yes	Yes	Yes	Yes	Yes	Yes
Swing Control		Oscillating	Oscillating	Oscillating	Oscillating	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes	Yes	Yes	Yes
Ice Chamber		No	No	Yes	Yes	No	No
Smart Humidity Control		No	No	No	No	No	No
Touch Control		No	No	No	No	No	No
Dust Filter		No	No	No	No	No	No
Eco-Cool mode		No	No	No	No	No	No
Pre Soak		No	No	No	No	No	No
Wi-Fi mode		No	No	No	No	No	No
Sleep Mode		No	No	No	No	No	No
Fully Collapsible Louvers		No	No	Yes	Yes	No	No
Mosquito Repellent		No	No	No	No	No	No
Air purifier mode		No	No	No	No	No	No
Air Purifier Filter **		No	No	No	No	No	No
HEPA Filter Grade		No	No	No	No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No	No	No	No
Activated Carbon Filter		No	No	No	No	No	No



		Commercial Coolers	Tower Coolers	
Model		Virat 135	Slimm 35, 45, 55	Slimm 35T, 45T, 55T
Unit SAP Code		4810415	4810358/59/60	4810364/65/68
For rooms upto*	sq.m	53	17-21/ 18-22/ 19-23	17-21/ 18-22/ 19-23
Air Throw Distance @0.5m/s	m	23	7.5	7.5
Tank Capacity	Litres	135	35/45/55	35/45/55
Rated Power Input- Cooling	Watt	352	140	140
Power Supply	V/Hz/Ph	230 / 50 / 1 Phase	230 / 50 / 1 Phase	230 / 50 / 1 Phase
Air Flow	CMH	7200	950	950
Fan/Blower Diameter	cm	50.8	18	18
Product Dimensions (WxHxD)	cm	86.5 x 149.5 x 66.0	32x110x32/32x118x32/32x128x32	32x110x32/32x118x32/32x128x32
Packing Dimensions (WxHxD)	cm	92.5 x 144.5 x 70.0	46x121.5x38/46x128.5x38/46x139.5x38	46x121.5x38/46x128.5x38/46x139.5x38
Net Weight	Kg	33	11.5/11.7/12	11.5/11.7/12
Gross Weight	Kg	40.4	14.7/14.9/15.2	14.7/14.9/15.2
Operation		Mechanical	Mechanical	Electronic Touch
Cooling Media		Honeycomb	Honeycomb	Honeycomb
Fan/Blower		Fan	Blower	Blower
TOP Feature		Yes	Yes	Yes
Speed Control		High/Medium/Low	High/Medium/Low	High/Medium/Low
Remote Controller		No	No	Yes
Castor Wheels		Lockable - Heavy Duty	Yes	Yes
Trolley		No	No	No
Water Level Indicator		Yes	Yes	Yes
Swing Control		No	Oscillating	Oscillating
Works on Inverter		Yes	Yes	Yes
Ice Chamber		No	Yes	Yes
Smart Humidity Control		No	No	No
Touch Control		No	No	Yes
Dust Filter		No	Yes	Yes
Eco-Cool mode		No	No	Yes
Pre Soak		No	No	Yes
Wi-Fi mode		No	No	No
Sleep Mode		No	No	No
Fully Collapsible Louvers		No	Yes	Yes
Mosquito Repellent		No	No	No
Air purifier mode		No	No	No
Air Purifier Filter **		No	No	No
HEPA Filter Grade		No	No	No
Air Filter Efficiency (PM 0.3)		No	No	No
Activated Carbon Filter		No	No	No

*T & C Apply. Room Height assumed as 3mtr **Air cooler can be used as Air Purifier after replacing Honeycomb Pad with composite filter. #Wifi Operation through Mobile Application "Voltas Smart". As a continuing policy of product innovation at Voltas, the design and specification are subjected to change without prior notice. Product images are for illustrative purposes only and may differ from the actual product. The above data is under ideal test conditions and may change based on the room conditions and temperature. All specifications are estimates and may vary within +/- 15% of the above data. Tank capacity is upto the brim.



VOLTAS *FreshAir*[®]
Coolers

ROOM AIR COOLERS | DESERT COOLERS | PERSONAL COOLERS | WINDOW COOLERS | TOWER COOLERS

Voltas 24x7 Customer Service - 1860 599 4555, 9650694555. For product registration SMS <WTA> to 9289525321	Visit us at www.voltas.com . To locate your nearest store, log on to: www.voltas.com/apps/store-locator	Follow us at f My Voltas t My Voltas i My Voltas in Voltas Limited v My Voltas
---	---	--

CORPORATE HEAD OFFICE: Voltas Limited, Voltas House A, Dr. Babasaheb Ambedkar Road, Chinchpokli, Mumbai – 400033, Phone: 022-66656666.**DELHI:** Voltas Limited, A-43, Mohan Co-operative Industrial Estate, Mathura Road, New Delhi – 110044, Phone: 011-66505550.

♻️ In India, E-Waste (Management and Handling) Rules 2016 r/w E-Waste Management Amendment Rules 2018 have been notified by the Ministry of Environment, Forests and Climate Change, Government of India. Voltas Limited (Voltas) stands committed to implement E-Waste Rules. Voltas has done tie-up with the Government authorized E-Waste Recycler for facilitating our Channel partners/customers to dispose off and/or discard Electrical and Electronic Products after its end-of-life (when a product/parts is non-operational or non-repairable) and including spare parts. The authorized Recycler has expertise in assisting Voltas in fulfilling their compliances related to EPR and E-Waste Management. Channel partners/customers need to get in touch with Voltas Call Centre (9650694555) to dispose off and/or discard Electrical and Electronic Products after its end-of-life.

Channel partners/consumers should contribute to resource conservation and prevent potential environmental problems by a simple action — the proper depositing of their old consumer durable products, its accessories or defective spares with authorized Recyclers. E-Waste should be disposed off separately from the general waste stream via designated collection facilities identified by Voltas.

*Features are available in select models only. T&C Apply.

*As a continuing policy of product innovation at Voltas, the design and specifications are subjected to change without prior notice.